

MSDS Code: EBO1804122-M267 **EFEST 20700 3100MAH 3.7V BATTERY** Date of Issue: April 26, 2018 Page 1 of 6

1. Identification Of Substance

| Product Details | |
|---------------------------|--|
| Product Name: | EFEST 20700 3100MAH 3.7V BATTERY |
| Product Model: | 20700 3100mah |
| Manufacturer/Supplier By: | SHENZHEN FEST TECHNOLOGY CO., LTD |
| | Sar 1980 Cultural Industry Park, Minfu Road, Minzhi, Longhua New District, |
| | Shenzhen, Guangdong, China |
| | Tel & Emergency Tel: +86-755-89304183 |
| | Fax: +86-755-27764602 |
| | SHENZHEN FEST TECHNOLOGY CO., LTD Sar 1980 Cultural Industry Park, Minfu Road, Minzhi, Longhua New District, Shenzhen, Guangdong, China Tel & Emergency Tel: +86-755-89304183 |

2. Composition/Data On Components

| COMPONENT | CAS # | % by wt. |
|---------------------------------|------------|----------|
| Lithium Cobalt Dioxide | 12190-79-3 | 38.80% |
| Aluminum | 7429-90-5 | 5.56% |
| PVDF | 24937-79-9 | 1.17% |
| Graphite | 7782-42-5 | 24.2% |
| Copper | 7440-50-8 | 9.6% |
| SBR | 9003-55-8 | 1.76% |
| Polyethylene | 9002-88-4 | 0.09% |
| Polypropylene | 9003-07-0 | 0.80% |
| Lithium Hexafluorophosphate | 21324-40-3 | 15.30% |
| Electrolyte Carbonate Carbonate | 1 | 2.72% |

3. Hazards Identification





Information pertaining to particular dangers for man and environment:

The product has to be labeled due to the calculation procedure of international guidelines.

Irritating to skin.

Risk of serious damage to eyes.

May cause sensitization by inhalation and skin contact.



MSDS Code: EBO1804122-M267

EFEST 20700 3100MAH 3.7V BATTERY

Date of Issue: April 26, 2018 Page 2 of 6

Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

| 4. First aid Measures | |
|-----------------------|---|
| Eyes: | Irrigate thoroughly with water for at least 15 minutes. Obtain medical attention. |
| Skin: | Wash off skin thoroughly with water. Remove contaminated clothing and wash |
| | before reuse. In severe cases obtain medical attention. |
| Inhalation: | Remove from exposure, rest and keep warm. In severe cases obtain medical |
| | attention. |
| Ingestion: | Wash out mouth thoroughly with water and give plenty of water to drink. Obtain |
| | medical attention. |
| Further treatment: | All cases of eye contamination, persistent skin irritation and casualties who |
| | have swallowed this substance or been affected by breathing its vapours |
| | should be seen by a Doctor. |

| 5. Fire Fighting Measures | |
|---------------------------------|--|
| Hazardous Combustion Products: | When burned, hazardous products of combustion including fume of carbon |
| | monoxide and carbon dioxide can occur. |
| Extinguishing Media: | Water, carbon dioxide, dry chemical or foam. |
| Basic Fire Fighting Procedures: | Wear NIOSH/MSHA approved positive pressure self-contained breathing |
| | apparatus and protective clothing to prevent contact with skin and eyes. |

| 6. Accidental Release Measures | |
|----------------------------------|--|
| Person related measures: | Wear personal protective equipment adapted to the situation (protection gloves, |
| | face protection, breathing protection). |
| Environment protection measures: | Bind released ingredients with powder (rock salt, sand). |
| | Dispose off according to the local law and rules. |
| | Avoid leached substances to penetrate into the earth, canalization or water. |
| | If battery casing is dismantled, small amounts of electrolyte may leak. Package |
| Treatment for cleaning: | the battery tightly including ingredients together with lime, sand or rock salt. |
| | Then clean with water. |

7. Handling And Storage

Guideline for safe handling:



MSDS Code: EBO1804122-M267

Date of Issue: April 26, 2018

EFEST 20700 3100MAH 3.7V BATTERY

Page 3 of 6

Always follow the warning information on the batteries and in the manuals of devices. Only use the recommended battery types.

Keep batteries away from children.

For devices to be used by children, the battery casing should be protected against unauthorized access.

Unpacked batteries shall not lie about in bulk.

In case of battery change always replace all batteries by new ones of identical type and brand.

Do not swallow batteries.

Do not throw batteries into water.

Do not throw batteries into fire.

Avoid deep discharge.

Do not short-circuit batteries

Use recommended charging time and current.

Storage:

Storage preferably at room temperature (approx. 20°C).

Avoid large temperature changes.

Do not store close to heating devices.

Avoid direct sunlight. At higher temperature the electrical performance may be reduced.

Storage of unpacked batteries can cause short circuit and heat generation.

Storage of large amounts: If possible, store the batteries in original packaging (because of short circuit protection and exemptions according to transport regulations).

A fire alarm is recommended.

For automatic fire extinction consider chapter 5 "Fire fighting measures".

8. Exposure Controls And Personal Protection

Under normal conditions (during charge and discharge) release of ingredients does not occur.

In the event of release of ingredients, the following TLVs have to be considered (U.S.A.):

Material TLV*

Cobalt and compounds: 0.1 mg/m3 (TWA) Graphite: C 5.0 mg/m3 (TWA) *Source: OSHA CFR 29 1910.1000 Table Z-1, 2 or 3 3-01-2007.

| 9. Physical And Chemical Properties | | |
|-------------------------------------|---------|-----|
| Nominal Voltage: | 3.7V | |
| Capacity: | 3100mAH | |
| Watt-hour: | 11.47Wh | |
| | | USA |



MSDS Code: EBO1804122-M267 EFEST 20700 3100MAH 3.7V BATTERY Date of Issue: April 26, 2018 Page 4 of 6

| Appearance | characters: |
|--------------|----------------|
| , ppour unou | on a dottor of |

Purple with odorless battery

| 10. Stability And Reactivity | |
|------------------------------|---|
| | |
| Thermal decomposition / | |
| conditions to be avoided: | No decomposition if used according to specifications. |
| Dangerous Reactions: | No dangerous reactions known. |
| Dangerous products of | |
| decomposition: | No dangerous decomposition products known. |
| | |
| 11. Toxicological Informatic | n |
| Primary irritant effect: | None, unless battery ruptures. In the event of exposure to internal contents, |
| | corrosive fumes will be very irritating to skin, eyes and mucous membranes. |
| | Overexposure can cause symptoms of non-fibrotic lung injury and membrane |
| | irritation. |
| Inhalation: | Lung irritant. |
| Skin contact: | Skin irritant |
| Eye contact: | Eye irritant. |
| Ingestion: | Tissue damage to throat and gastro-respiratory tract if swallowed. |
| Medical conditions generally | In the event of exposure to internal contents, eczema, skin allergies, lung |
| aggravated by exposure: | injuries, asthma and other respiratory disorders may occur. |

| 12. Ecological Information | |
|----------------------------|---|
| General notes: | Do not allow undiluted product or large quantities of it to reach ground water, |
| | water course or sewage system. |

| 13. Disposal Considerations | |
|-----------------------------|---|
| Waste Disposal Method: | Waste Lithium ion batteries are classified by the federal government as |
| | non-hazardous waste and are safe for disposal in the normal municipal waste |
| | stream. |
| | Large quantities of open batteries should be treated as hazardous waste. |
| | Dispose of in accordance with state regulations. |
| | Do not incinerate, since batteries may explode at excessive temperatures. |



MSDS Code: EBO1804122-M267 EFEST 20700 3100MAH 3.7V BATTERY Date of Issue: April 26, 2018 Page 5 of 6

14. Transport Information

This report applies to by sea and by air;

The Li-ion Battery tested according to the requirements of the 6th revised edition of the UN manual of tests and Criteria, PartIII, subsection 38.3, Lithium-ion battery was protected so as to prevent short circuits. This includes protection against contact with conductive materials within the same packaging that could lead to short circuit; The Lithium-ion Battery according to Section II of Packing Instruction 965 or Section II of Packing Instruction 966 of the 2018 IATA Dangerous Goods regulations 59th Edition may be transported and applicable U.S.DOT regulations for the safe transport of Li-ion Battery.

The packaging shall be adequate to avoid mechanical damage during transport, handling and stacking. The materials and pack design shall be chosen so as to prevent the development of unintentional electrical conduction, corrosion of the terminals and ingress of moisture.

The package must be handled with care and that a flammability hazard exists if the package is damaged; Each package must be labeled with a Li-ion Battery handling label or in addition to the Class 9 hazard label. With regard to transport, the following regulations are cited and considered:

- The International Civil Aviation Organization (ICAO) Technical Instructions.

- The International Air transport Association (IATA) Dangerous Goods Regulations.

UN number of lithium-ion battery: UN3480 or UN3481;

UN Proper shipping name/Description (technical name): Lithium-ion batteries or Lithium-ion batteries contained in equipment or Lithium-ion batteries packed with equipment;

UN Classification (Transport hazard class):Non Dangerous;

Marine pollutant (Y/N): N;

- The International Maritime Dangerous Goods (IMDG) Code.

For lithium-ion batteries by sea, provided that packaging is strong and prevent the products from short-circuit.

UN number of lithium-ion battery: UN3480 or UN3481;

UN Proper shipping name/Description (technical name): Lithium-ion batteries or Lithium-ion batteries contained in equipment or Lithium-ion batteries packed with equipment;

UN Classification (Transport hazard class): Dangerous;

Marine pollutant (Y/N): Y;

Special Provision: International maritime dangerous goods code (IMDG) 188, 230, 310, 348, 957; - The US Hazardous Materials Regulation (HMR) pursuant to a final rule issued by RSPA - The Office of Hazardous Materials Safety within the US Department of Transportations' (DOT) Research and Special Programs Administration (RSPA)

15. Regulations

•Sara

Section 355 (extremely hazardous substances):

USA



MSDS Code: EBO1804122-M267

EFEST 20700 3100MAH 3.7V BATTERY

Date of Issue: April 26, 2018 Page 6 of 6

None of the ingredient is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredient is listed.

TSCA (Toxic Substances Control Act):

None of the ingredient is listed.

Material Safety Data Sheets (MSDS) are a sub-requirement of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard, 29 CFR Subpart 1910.1200. This Hazard Communication Standard does not apply to various subcategories including anything defined by OSHA as an "article". OSHA has defined "article" as a manufactured item other than a fluid or particle; (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g. minute or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees. Because all of our batteries are defined as "articles", they are exempted from the requirements of the Hazard Communication Standard.

16. Other Information

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

