

EDC E5 Tool-Light w/Magnetic Base E5

Everywhere You Go, The Perfect Companion















KLARUS E5 EDC Tool-Light with magnetic base and dual light sources is made from 6063 aluminum alloy, boasting a mere 35.8 gram of weight, and only 15mm thick in a compact and lightweight design.

The main COB led (round) is matched with an auxiliary COB led (rectangle), covering both close up area lighting and a focused beam for distance illumination. With a max output of 470 lumens, and 6 output modes, the E5 has the versatility to handle any situation.

The magnetic base and the pocket clip combination allows the E5 to be mounted virtually anywhere for hands-free operation. Type-C recharging gives the E5 a 12 hours runtime, combined with the IPX4 waterproof rating, and 1 meter drop resistance, makes the E5 an invaluable tool in the outdoors.





Highlight:

- ①35.8 gram, 15mm thick, compact and easy to carry, an essential tool for the outdoors
- ②Main/Aux. dual light sources; 6 output modes; 470 max output; has both long range beam and area lighting
- 3 Magnetic base + clip combination for versatile attachment options (Hat, Backpack, metal object, etc.)
- 412 Hr. worry-free runtime with Type-C fast recharging
- ⑤6063 Aluminum alloy construction; IPX4 waterproof rating; 1 meter shock resistance; ready for the rugged terrains

ANSI Specifications:

categories	Main COB (Round)					Fwd COB (Rectangle)		
	Turbo	High	Medium	Low	Red/ Blue Strobe	High	Low	Strobe
್ತ್ Output (Lumens)	470	287	70	30	/	85	23	/
© Run Time (Hrs.)	0.7	3	6.5	10	/	4.5	12	/
Candelas (Cd.)	420	360	280	240	/	276	232	/
■ Beam Range (M.)	41	38	33.5	31	/	33	30.5	/
✓ Drop Resistance (M.)	1							
∼ Waterproof Rating	IPX4							

KLARUS Lighting Technology Co. Limited

Address: 8/F, Building E, Longjing Industrial Park, Longgang District, Bantian St., Shenzhen

Zip Code:518000

Telephone:400-631-0169 Email: service@klaruslight.com Website: www.klaruslight.com





