E1310733

Jan. 22. 2013

Certificate of UN test for Lithium ion cell

S.Watanabe General Manager

Lithium-Ion Battery Business Unit

Energy Company, SANYO Electric Co., Ltd.

Global Code : BJ-A300030AZ

Product Name : NCR18650B

We declare that this cell passed UN test.

Manual of Tests and Criteria (38.3 Lithium batteries)		Test	Note	Number of test cells	
No.	Test item	results	11000	Number of test cerrs	
T 1	Altitude simulation	Pass			
T 2	Thermal test	Pass		First cycle fully charged	
Т 3	Vibration	Pass			
T 4	Shock	Pass		10 cells	
Т5	External short circuit	Pass			
Т6	Impact	Pass		First cycle 50% charged 5 cells for cylindrical cell, 10 cells for prismatic cell.	
Т7	Overcharge	_	For battery only	For battery only.	
Т8	Forced discharge	Pass		First cycle, fully discharged 10 cells After 50 cycles, fully discharged 10 cells	

^{*}The test data may contain additional test result other than above table.

Lithium ion cell Specification

ltem	Nominal value	Note
Watt-hour rating	12 Wh	
Lithium equivalent content	0.96 g	

Above test procedures are compliant to the following manual.

(Manual of Tests and Criteria ST/SG/AC. 10/11/Rev. 5, PartIII, sub-section 38. 3)

Jan. 22, 2013

Certificate of Package Drop Test for Lithium ion cell

Global Code

: BJ-A300030AZ

Product Name

: NCR18650B

H.Kuroda General Manager Technical Administration Group

Lithium-Ion Battery Business Unit

Energy Company, SANYO Electric Co., Ltd.

We declare that this cell passed UN test.

Test item	Test results	Note	
Package Drop Test	Pass	The package shall be dropped from 1.2m high on to a concrete surface (flat and horizontal) with five orientations (drop once a sample); (1) flat on the bottom, (2) flat on the long side, (3) flat on the short side, (4) on the edge, (5) on the corner	

Lithium ion cell Specification

ltem	Nominal value	Note
Watt-hour rating	12 Wh	
Lithium equivalent content	0.96 g	

Above test procedures are compliant to the following regulation. (Model Regulations ST/SG/AC. 10/1/Rev. 17, Special Provion188)